

HPD UNIQUE IDENTIFIER: 26311

CLASSIFICATION: 12 36 40 Stone Countertops

PRODUCT DESCRIPTION: Lapitec sintered stone is an industrial product made from a wet mixture of natural minerals, without the use of resin or cement, cold-formed by means of vibro-compression under vacuum and consolidated, after drying, by sintering up to 1200°C. Lapitec sintered stone is as workable as natural stone across the entire thickness and is available in the form of rough slabs, slabs, tiles, and any other cut-to-size product. It is used for interiors and exteriors and is suitable for cladding, paving, flooring, curtain walling, and ventilated facade. Models covered under this HPD are GS-SB, GS-BB, BRT-W, and BRT-N. Applicable CSI sections: 04 42 00 Exterior Stone Cladding; 09 78 16 Stone-Faced Interior Wall Paneling; 12 36 40 Stone Countertops; 32 14 40 Stone Paving; and EAD 090062-00-0404 Sintered Stone Slabs.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<b>Inventory Reporting Format</b> <input type="radio"/> Nested Materials Method <input checked="" type="radio"/> Basic Method	<b>Threshold Level</b> <input type="radio"/> 100 ppm <input checked="" type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other	<b>Residuals/Impurities</b> <input checked="" type="radio"/> Considered <input type="radio"/> Partially Considered <input type="radio"/> Not Considered  <b>Explanation(s) provided for Residuals/Impurities?</b> <input checked="" type="radio"/> Yes <input type="radio"/> No	<i>All Substances Above the Threshold Indicated Are:</i> <b>Characterized</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>% weight and role provided for all substances.</i> <b>Screened</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>All substances screened using Priority Hazard Lists with results disclosed.</i> <b>Identified</b> <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No <i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>
---	---	---	--

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE

SINTERED STONE SLABS [ CERAMIC MATERIALS AND WARES, CHEMICALS LT-P1 | MUL FRITS, CHEMICALS LT-P1 | MUL FELDSPAR LT-UNK | RES WATER BM-4 UNDISCLOSED LT-P1 | SKI KAOLIN CLAY LT-UNK | CAN QUARTZ LT-1 | CAN ZIRCON (ZR(SIO4)) LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END SILICA, AMORPHOUS LT-P1 | CAN UNDISCLOSED LT-UNK UNDISCLOSED CHEMICAL #1 LT-UNK UNDISCLOSED CHEMICAL #2 LT-UNK | RES ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Lapitec worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold. Due to the proprietary nature of the information, the name and CAS numbers for certain chemicals have been redacted from this substance entry. "Undisclosed" indicates chemicals Lapitec holds confidential; "Undisclosed Chemical #n" indicates chemicals Lapitec suppliers protect with NDAs.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

Other: Environmental Product Declaration (EPD) by BRE

Other: ANSI/NSF 51-2012 Food equipment materials

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified? <input checked="" type="radio"/> Yes <input type="radio"/> No	PREPARER: ToxServices LLC VERIFIER: SCS Global Services VERIFICATION #: qGE-8410	SCREENING DATE: 2019-12-02 PUBLISHED DATE: 2021-10-22 EXPIRY DATE: 2022-12-02
---	--	---

*This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:*

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

## SINTERED STONE SLABS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

**RESIDUALS AND IMPURITIES NOTES:** Lapitec worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

**OTHER PRODUCT NOTES:** Models covered under this HPD are GS-SB, GS-BB, BRT-W, and BRT-N. During the manufacturing process (Sinterization process), a combination of techniques create physical change in the material converting these ingredients into a benign sintered stone product.

## CERAMIC MATERIALS AND WARES, CHEMICALS

ID: 66402-68-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2019-12-03 7:13:48

**%: 53.0000 - 60.0000**

GS: LT-P1

RC: None

NANO: No

SUBSTANCE

ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

**SUBSTANCE NOTES:** The range of 53% - 60% is only in reference to the GS-SB and GS-BB models.

## FRITS, CHEMICALS

ID: 65997-18-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2019-12-03 7:13:48

**%: 42.0000 - 80.0000**

GS: LT-P1

RC: None

NANO: No

SUBSTANCE

**ROLE: Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

**SUBSTANCE NOTES:** The range of 42% - 80% is only in reference to the BRT-W and BRT-N models.

**FELDSPAR**

ID: 68476-25-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2019-12-03 7:13:48

**%: 8.3000 - 12.4500**

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE

ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

**SUBSTANCE NOTES:**

WATER			ID: 7732-18-5		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2019-12-03 7:13:48		
%: 8.0500 - 11.7000		GS: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:					

UNDISCLOSED			ID: Undisclosed		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2019-12-03 7:13:49		
%: 4.8000 - 6.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage			
SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance entry.					

KAOLIN CLAY			ID: 1332-58-7		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2019-12-03 7:13:49		
%: 4.1500 - 12.4500		GS: LT-UNK		RC: None NANO: No SUBSTANCE ROLE: Structure component	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
SUBSTANCE NOTES:					

QUARTZ			ID: 14808-60-7		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2019-12-03 7:13:49		
%: 1.7000 - 2.7000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Structure component	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]
SUBSTANCE NOTES:		

**ZIRCON (ZR(SiO4))**

ID: **14940-68-2**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2019-12-03 7:13:50</b>	
%: <b>1.0000 - 2.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Structure component</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:			

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-12-03 7:13:50		
%: 1.0000 - 3.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance entry.				

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2019-12-03 7:13:50</b>	
%: <b>0.0900 - 3.0000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Viscosity modifier</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance entry.

SILICA, AMORPHOUS

ID: 7631-86-9

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2019-12-03 7:13:50</b>	
?: <b>0.0000 - 5.0000</b>		GS: <b>LT-P1</b>	
		RC: <b>None</b>	NANO: <b>No</b>
SUBSTANCE ROLE: <b>Structure component</b>			
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS
CAN	GHS - Australia		H350i - May cause cancer by inhalation
CAN	GHS - Japan		Carcinogenicity - Category 1A [H350]
SUBSTANCE NOTES:			

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-12-03 7:13:51		
%: 0.0000 - 0.1800	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance entry.				

UNDISCLOSED CHEMICAL #1

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-12-03 7:13:51		
%: 0.0000 - 4.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance entry.				

UNDISCLOSED CHEMICAL #2

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-12-03 7:13:51		
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance entry.				



## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: LAPITEC S.P.A. MARCO RUZZANTE VIA BASSANESE, 6 VEDELAGO TV 31050 ITALY CERTIFICATE URL: <a href="https://www.lapitec.com/en/technical-assistance">https://www.lapitec.com/en/technical-assistance</a>	ISSUE DATE: 2016-07-11	EXPIRY DATE: 2022-07-11	CERTIFIER OR LAB: UL
CERTIFICATION AND COMPLIANCE NOTES: Certificate Number: 80481-410. GREENGUARD Certification Criteria for Building Products and Interior Finishes. UL 2821 "GREENGUARD Certification Program Method for Measuring and Evaluating Chemical Emissions From Building Materials, Finishes and Furnishings Using Dynamic Environmental Chambers"			
OTHER	Environmental Product Declaration (EPD) by BRE		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: LAPITEC S.P.A. MARCO RUZZANTE VIA BASSANESE, 6 VEDELAGO TV 31050 ITALY CERTIFICATE URL: <a href="http://www.greenbooklive.com/pdfdocs/en15804epd/BREGENEPD000236.pdf">http://www.greenbooklive.com/pdfdocs/en15804epd/BREGENEPD000236.pdf</a>	ISSUE DATE: 2019-01-10	EXPIRY DATE: 2024-01-09	CERTIFIER OR LAB: bre
CERTIFICATION AND COMPLIANCE NOTES: EPD Number: 000236; BRE Environmental Profiles 2013 Product Category Rules for Type III environmental product declaration of construction products to EN 15804:2012+A1:2013.			
OTHER	ANSI/NSF 51-2012 Food equipment materials		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Vedelago, Italy CERTIFICATE URL: <a href="https://www.lapitec.com/en/technical-assistance">https://www.lapitec.com/en/technical-assistance</a>	ISSUE DATE: 2020-12-08	EXPIRY DATE:	CERTIFIER OR LAB: NSF
CERTIFICATION AND COMPLIANCE NOTES: Certificate#: C0124737-02. NSF certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI 51 - Food Equipment Materials.			

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Lapitec can be used in a minimum thickness of 12 mm and a maximum of 30 mm, in a maximum size of 1500 x 3365 mm, or cut into different sizes and shapes. Sintered stone can be installed with thin set, with mechanical fasteners (e.g. rivets, screws, undercut bolts, clips), with structural bonding (e.g. polyurethane glue, silicone glue), or directly to a substrate upon a subframe (e.g. aluminum, galvanized steel), none of which are included under this HPD.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Lapitec SpA  
**ADDRESS:** Via Bassanese 6  
 31050 Vedelago Treviso 31050, Italy  
**WEBSITE:** www.lapitec.com

**CONTACT NAME:** Marco Ruzzante  
**TITLE:** Engineering and Manufacturing Department Manager  
**PHONE:** +39 0423 703811  
**EMAIL:** emd@lapitec.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**
**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

**Recycled Types**

<b>PreC</b> Pre-consumer recycled content
<b>PostC</b> Post-consumer recycled content
<b>UNK</b> Inclusion of recycled content is unknown
<b>None</b> Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*